

AGENDA
INDIANA WATER POLLUTION CONTROL BOARD

Indiana Government Center - South
Conference Room B
402 W. Washington Str.
Indianapolis, Indiana
1:30 p.m., E.S.T.
Wednesday, November 10, 2010

1. Call to Order
2. Approval of Meeting Summary
August 11, 2010
3. IDEM Reports
4. Rulemaking
Emergency Rule of Amendments to 327 IAC 5-4-3 Concerning Concentrated Animal Feeding Operations (CAFO), and 327 IAC 15-15-1, 327 15-15-2, 327 IAC 15-15-9, 327 IAC 15-15-11, and 327 IAC 15-15-12 Concerning the NPDES General Rule Program
*(a) Board Consideration of adoption of emergency rule.**

Development of rule amendment concerning general construction permit for water mains funded by the drinking water state revolving fund (SRF). LSA Doc.# 10-403 SRF Eligible Permit

- (a) Public Hearing considering draft rule*
- (b) Board Consideration of preliminary adoption of draft rule*

** In accordance with IC 4-22-2-37.1, no public hearing is required prior to board action on emergency rules.*

5. Other Matters
Tentative Date and Location of Next Meeting**
December 8, 2010, 1:30 p.m., E.S.T., Indiana Government Center-South, Conference Room B, 402 West Washington Street, Indianapolis, Indiana.
6. Adjournment

** Date and Location of Board Meetings are subject to change. For confirmation, please check with the Rules Branch, Office of Legal Counsel at (317) 233-8903 or (800) 451-6027, ext. 3-8903.

Board packet information can also be retrieved via the Internet as early as one week prior to the meeting at <http://www.in.gov/idem/4707.htm>

Individuals requiring reasonable accommodations for participation in this event should contact the Indiana Department of Environmental Management, Americans with Disabilities Act coordinator at:

*Attn: ADA Coordinator
Indiana Department of Environmental Management
100 N. Senate Avenue
Indianapolis, IN 46204*

or call (317) 233-1785(V). Speech and hearing impaired callers may contact the agency via the Indiana Relay Service (711) or 1-800-743-3333. Please provide a minimum of 72 hours notification.
